

-----DATE: 1-15-2014

S A F E T Y D A T A S H E E T PAGE: 1

SHIPPED FROM: -----

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDALE WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

***** SAFETY DATA SHEETS *****

*

THE ATTACHED SAFETY DATA SHEET (SDS) IS AN IMPORTANT DOCUMENT. THE
OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A **SDS**
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE **SDS** ON FILE.

*

*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

*

*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1*

FLAMMABILITY ----->1

REACTIVITY ----->0

PERSONAL PROTECTION -->E

DATE: 1-15-2014

S A F E T Y D A T A S H E E T PAGE: 2

SHIPPED FROM:

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDALE WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW VERSION NUMBER: 1 DATE: 2/03/09
CHEMICAL NAME/FAMILY: COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS PIGMENT(S) AND ADDITIVE(S) APPLIES TO THEM IN THE PURE DRY FORM. THE FORM OF THE PIGMENT AND ADDITIVE PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

OSHA ACGIH

CAS PEL TLV OTHER DOES NOT
NUMBER DESCRIPTION MG/M3 MG/M3 LIMITS EXCEED(%)
8003-22-3 QUINOPHTHALONE 66.67

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N/A
SPECIFIC GRAVITY: 1.40
VAPOR PRESSURE: N/A
MELTING POINT: 239-244C
VAPOR DENSITY: N/A
EVAPORATION RATE: N/A
SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF C.
THE METHOD USED TO DETERMINE THIS IS:
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

DATE: 1-15-2014

S A F E T Y D A T A S H E E T PAGE: 3

SHIPPED FROM:

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDALE WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

EQUIP FIREFIGHTERS WITH SELF-CONTAINED BREATHING APPARATUS (SCBA) AND
TURN-OUT GEAR.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

UNDER FIRE CONDITIONS, TOXIC FUMES ARE EMITTED

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

TO AVOID THERMAL DECOMPOSITION DO NOT OVERHEAT. DECOMPOSITION BEGINS AT
APPROX. 240 C.

INCOMPATIBILITY (MATERIALS TO AVOID):

PROLONGED HEATING IN EXCESS OF 275 C ACCELERATES THERMAL DEGRADATION.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION YIELDS A LARGE VARIETY OF ORGANIC AND INORGANIC
PRODUCTS, DEPENDING ON PRODUCT GRADE, TEMPERATURE AND OTHER IMMEDIATE
ENVIRONMENTAL FACTORS.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

SMOKING, OPEN FLAMES, SPARKS AND OTHER SOURCES OF IGNITION AND HEAT.

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHOULD BE AVOIDED BY WEARING AN APPROVED DUST MASK. INHALATION OF ANY

DATE: 1-15-2014

S A F E T Y D A T A S H E E T PAGE: 4

SHIPPED FROM:

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDALE WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

SECTION VI - HEALTH HAZARD DATA: (CONT)

NUISANCE DUST MAY CAUSE RESPIRATORY IRRITATION.

HEALTH HAZARD: SKIN
MAY CAUSE SKIN SENSITIZATION OR OTHER ALLEGERIC RESPONSES

HEALTH HAZARD: INGESTION
INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT
CONTACT WITH EYE MAY CAUSE EYE IRRITATION

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? NO

SIGNS AND SYMPTOMS OF EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE
INGREDIENTS PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,
THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.
WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

QUINOPHTHALONE CAS# 8003-22-3 CAN CAUSE IRRITATION TO EYES, SKIN, AIRWAY
AND DIGESTIVE SYSTEM. IS CLASSIFIED AS A MUTAGEN BY RTECS (# GE5925000)

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE
INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,
THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.
WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

QUINOPHTHALONE CAS# 8003-22-3 PERSONS WITH BREATHING AND LUNG PROBLEMS CAN
BE AFFECTED BY BREATHING IN ANY TYPE OF DUSTY MATERIAL.

EMERGENCY FIRST AID: INHALATION

SHIPPED FROM:

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDAL WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

SECTION VI - HEALTH HAZARD DATA: (CONT)

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

WASH WITH SOAP AND WATER, IF IRRITATION OCCURS CONSULT PHYSICIAN. REMOVE AND LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

EMERGENCY FIRST AID: INGESTION

IF SWALLOWED, ADMINISTER AT LEAST 3-4 GLASSES OF WATER BUT DO NOT INDUCE VOMITING OR GIVE WATER TO UNCONSCIOUS OR CONVULSING PERSON. SEEK MEDICAL ATTENTION.

EMERGENCY FIRST AID: EYE CONTACT

IN CASE OF CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF LOW-PRESSURE WATER FOR AT LEAST 15 MIN. REMOVE ANY CONTACT LENSES TO ENSURE THROUGH FLUSHING. CALL A PHYSICIAN.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT, CONTAIN SPILL, VENTILATE AREA OF SPILL OR LEAK. COLLECT INTO SUITABLE CONTAINER.

HANDLING: WASTE DISPOSAL

LANDFILL OR INCINERATE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL LAWS.

HANDLING: STORAGE

AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. FOLLOWING GOOD INDUSTRIAL PRACTICE, HANDLE WITH CARE AND AVOID UNNECESSARY CONTACT.

HANDLING: OTHER PRECAUTIONS

AVOID INHALATION OF DUST. AVOID EYE AND SKIN CONTACT. RESEAL CONTAINERS IMMEDIATELY AFTER USE. WASH THOROUGHLY AFTER HANDLING. STORE AT AT TEMPERATURES BELOW 122F (50C).

SECTION VIII - CONTROL MEASURES:

DATE: 1-15-2014

S A F E T Y D A T A S H E E T PAGE: 6

SHIPPED FROM: -----

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDALE WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

SECTION VIII - CONTROL MEASURES:

- CONTROL: RESPIRATORY PROTECTION
IN DUSTY ATMOSPHERES USE NIOSH/MSHA APPROVED RESPIRATORS
- CONTROL: VENTILATION
USE ONLY WITH ADEQUATE VENTILATION AND DUST CONTAINMENT.
- CONTROL: GLOVES
LEATHER OR OTHER NON-PERMEABLE GLOVES.
- CONTROL: EYE PROTECTION
GOGGLES
- CONTROL: OTHER CLOTHING
WEAR APPROPRIATE CLEAN, PROTECTIVE CLOTHING, SUCH AS, BUT NOT LIMITED TO
COVERALLS, SMOCKS, APRONS, GLOVES, SHOES AND/OR HATS.
- CONTROL: WORK/HYGIENE
SHOULD HAVE SAFETY SHOWER AND EYE WASH IN WORK AREA. WASH THOROUGHLY AFTER
HANDLING AND LAUNDER CLOTHING.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED
AND DISTRIBUTED FOR THIS MATERIAL.
DOES NOT
CAS # EXCEED(%) DESCRIPTION
NONE

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY
AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

DATE: 1-15-2014

S A F E T Y D A T A S H E E T PAGE: 7

SHIPPED FROM:

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDALE WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:

NONE

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM ARE LISTED BELOW:

NONE

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:
QUINOPHTHALONE CAS# 8003-22-3 (D-2-A) & (D-2-B)

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS SHOWN BELOW:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS SDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS SDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL

-----DATE: 1-15-2014

S A F E T Y D A T A S H E E T PAGE: 8

SHIPPED FROM: -----

FASTCAP LLC
5016 PACIFIC HIGHWAY
FERNDALE WA 98248
PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: DC MISC GLUE 001.000% YELLOW
PRODUCT CODE: 2P-10 YELLOW

SECTION X - STATE REGULATORY INFORMATION: (CONT)

CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:
NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. FASTCAP
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.